

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L2 | 91 | (fiber fibre) and ((id indicator\$2) same (secur\$3 authenticat\$4) same frame\$2)and database\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/14 23:47 |
| L3 | 23 | (fiber fibre) and ((id indicator\$2) same (secur\$3 authenticat\$4) same frame\$2 same database\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/14 23:47 |
| L4 | 20 | (fiber fibre) and ((id indicator\$2) same (secur\$3 authenticat\$4) same frame\$2 same database\$2) and \$crypt\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/15 00:13 |
| L5 | 24 | (fiber fibre) and ((id indicator\$2 flag\$2 marker\$2) same (secur\$3 authenticat\$4 encrypt\$3) same frame\$2 same database\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/15 00:16 |
| L6 | 4 | l5 not l4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/15 00:13 |
| L7 | 10 | (fiber fibre) and ((id indicator\$2 flag\$2 marker\$2) same (secur\$3 authenticat\$4 encrypt\$3) same frame\$2) and (decrypt\$3 same database\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/15 00:20 |
| L8 | 149 | ((fiber fibre) and frame\$2) and ((id indicator\$2 flag\$2 marker\$2) same (secur\$3 authenticat\$4 encrypt\$3)) and (decrypt\$3 same database\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/15 00:32 |
| L9 | 2 | "6973568".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/15 00:32 |

EAST Search History

| | | | | | | |
|----------|-----|------------------------------------|---|----|-----|------------------|
| S12 6 | 145 | 380/256.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S12 7 | 145 | 380/256.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S12 8 | 263 | PLOGI | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S12 9 | 168 | FLOGI | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S13 0 | 106 | S128 and S129 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S13 1 | 106 | S128 and S129 and (fibre or fiber) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S13 2 | 103 | S131 and indicat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S13 3 | 60 | S132 and database | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |

EAST Search History

| | | | | | | |
|----------|----|---|---|----|-----|------------------|
| S13 4 | 1 | S133 and DES | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S13 5 | 0 | S133 and AES | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S13 6 | 0 | S133 and 3DES | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S13 7 | 60 | S132 and database | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S13 8 | 0 | secure near (fibre fiber) near channel near authentication | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S13 9 | 0 | secure near (fibre fiber) near authentication | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S14 0 | 79 | secure same(fibre fiber) same authentication | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S14 2 | 2 | secure same (fibre fiber) same authentication same frame | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |

EAST Search History

| | | | | | | |
|----------|---------|--|---|----|-----|------------------|
| S14 3 | 0 | secure same (fibre fiber) same authentication with frame | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S14 4 | 24761 | secure same (fibre fiber) with authentication with frame | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S14 5 | 0 | secure same (fibre fiber) with authentication with frame | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S14 6 | 0 | secure with (fibre fiber) with authentication with frame | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S14 7 | 22945 | (fibre fiber) with frame | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S14 8 | 1344300 | (fibre fiber) same frame | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S14 9 | 48492 | (fibre fiber) same frame | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S15 0 | 13 | (fibre fiber) same frame same authentication | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |

EAST Search History

| | | | | | | |
|----------|-----|--|---|----|-----|------------------|
| S15 1 | 2 | "6823453".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S15 2 | 4 | "6823453".pn. "20050044354" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S15 3 | 2 | "6823453".pn. "20050044354" and pad\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S15 4 | 0 | ("6823453".pn. "20050044354") and pad\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S15 5 | 0 | ("6823453".pn. "20050044354") and buff\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S15 6 | 145 | 380/256.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S15 7 | 263 | PLOGI | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S15 8 | 263 | PLOGI | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |

EAST Search History

| | | | | | | |
|----------|-----|------------------------------------|---|----|-----|------------------|
| S15 9 | 168 | FLOGI | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S16 0 | 106 | S158 and S159 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S16 1 | 106 | S158 and S159 and (fibre or fiber) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S16 2 | 106 | S158 and S159 and (fibre or fiber) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S16 3 | 103 | S162 and indicat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S16 4 | 103 | S162 and indicat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S16 5 | 60 | S164 and database | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S16 6 | 1 | S165 and DES | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |

EAST Search History

| | | | | | | |
|----------|----|---|---|----|-----|------------------|
| S16 7 | 0 | S165 and AES | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S16 8 | 0 | S165 and 3DES | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S16 9 | 0 | secure near (fibre fiber) near channel near authentication | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S17 0 | 0 | secure near (fibre fiber) near authentication | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S17 1 | 79 | secure same(fibre fiber) same authentication | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S17 2 | 2 | secure same(fibre fiber) same authentication same frame | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S17 3 | 2 | secure same (fibre fiber) same authentication same frame | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S17 4 | 0 | secure same (fibre fiber) same authentication with frame | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |

EAST Search History

| | | | | | | |
|----------|---------|---|---|----|-----|------------------|
| S17 5 | 24761 | secure same (fibre fiber) with authentication with frame | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S17 6 | 22945 | (fibre fiber) with frame | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S17 7 | 1344300 | (fibre fiber) same frame | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S17 8 | 48492 | (fibre fiber) same frame | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S17 9 | 13 | (fibre fiber) same frame same authentication | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S18 0 | 2 | "6823453".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S18 1 | 4 | "6823453".pn. "20050044354" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S18 2 | 2 | "6823453".pn. "20050044354" and pad\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |

EAST Search History

| | | | | | | |
|----------|-----|------------------------------|---|----|-----|------------------|
| S18 3 | 107 | maino.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S18 4 | 16 | maino-f\$.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S18 5 | 30 | benedetto-m\$.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S18 6 | 16 | santi-c\$.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S18 7 | 62 | S184 or S185 or S186 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S18 8 | 0 | "6973568".in. and \$crypt\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S18 9 | 0 | "6973568".in. and decrypt | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S19 0 | 0 | "6973568".in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |

EAST Search History

| | | | | | | |
|----------|-----|--|---|----|-----|------------------|
| S19 1 | 1 | "6973568".pn. and \$crypt\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S19 2 | 0 | "6973568".pn. and (decrypt or decryption) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S19 3 | 0 | "6973568".pn. and (encrypt) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S19 4 | 1 | "6973568".pn. and \$crypt\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S19 5 | 619 | fibre and channel and security and control and indicator\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S19 6 | 421 | fibre adj channel and security and control and indicator\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S19 7 | 566 | (fiber or fibre) adj channel and security and control and indicator\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S19 8 | 2 | (fiber or fibre) adj channel and ("security control indicator") or "security indicator") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |

EAST Search History

| | | | | | | |
|----------|-----|---|---|----|-----|------------------|
| S19 9 | 18 | (fiber or fibre) and (("security control indicator") or "security indicator") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S20 0 | 409 | (fiber or fibre) and frame same indicator same (secur\$3 or encrypt\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S20 1 | 161 | (fiber or fibre) same frame same indicator same (secur\$3 or encrypt\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S20 2 | 4 | (fiber or fibre) same frame same indicator same (secur\$3 or encrypt\$4) and database | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S20 3 | 0 | "6401128".pn. and indicator | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S20 4 | 0 | "6401128".pn. and flag | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S20 5 | 0 | "6401128".pn. and security | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S20 6 | 0 | "6401128".pn. and secure | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |

EAST Search History

| | | | | | | |
|----------|-------|------------------------------|---|----|-----|------------------|
| S20 7 | 2 | "6401128".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S20 8 | 1 | "20030120915" and indicator | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S20 9 | 0 | "20030120915" and flag | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S21 0 | 0 | "20030120915" and indicators | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S21 1 | 1 | "20030120915" and indicator | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/12 17:49 |
| S21 2 | 17101 | fibre adj channel | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/12 17:49 |
| S21 3 | 0 | "398".cccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/12 17:49 |
| S21 4 | 24164 | "398"/".cccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/12 17:49 |

EAST Search History

| | | | | | | |
|----------|-----|--|---|----|----|------------------|
| S21 5 | 279 | "398/" .ccls. and (indicator or flag) and (secure or security or secured or encrypted or encrypt) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/12 17:49 |
| S21 6 | 123 | "398/" .ccls. and (indicator or flag) and (secure or security or secured or encrypted or encrypt) and frame\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/12 17:49 |
| S21 7 | 0 | (algorithm near database near decrypt near frame) and (fiber or fibre) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/12 17:49 |
| S21 8 | 0 | (database near decrypt near frame) and (fiber or fibre) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/12 17:49 |
| S21 9 | 0 | (database near decrypt near frame) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/12 17:49 |
| S22 0 | 2 | (database same decrypt same frame) and (fiber or fibre) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/12 17:49 |
| S22 1 | 43 | (database same decrypt same frame) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/12 17:49 |
| S22 2 | 10 | ((database\$2 or table\$2 or list\$2) same decrypt same frame) and (fiber or fibre) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/12 17:49 |

EAST Search History

| | | | | | | |
|----------|------|--|---|----|-----|------------------|
| S22 3 | 3376 | frame\$2 and (fiber or fibre) and (indicator\$2 or flag\$2 or marker\$2) and secur\$4 and encrypt\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/12 17:49 |
| S22 4 | 956 | (fiber or fibre) and ((frame\$2 same (indicator\$2 or flag\$2 or marker\$2)) same (secur\$4 or encrypt\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/12 17:49 |
| S22 5 | 4 | (fiber or fibre) and ((frame\$2 same (indicator\$2 or flag\$2 or marker\$2)) same algorithm same (secur\$4 or encrypt\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/12 17:49 |
| S22 6 | 145 | 380/256.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S22 7 | 263 | PLOGI | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S22 8 | 168 | FLOGI | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S22 9 | 263 | PLOGI | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S23 0 | 168 | FLOGI | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |

EAST Search History

| | | | | | | |
|----------|-------|---|---|----|-----|------------------|
| S23 1 | 106 | S229 and S230 and (fibre or fiber) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S23 2 | 103 | S231 and indicat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S23 3 | 60 | S232 and database | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S23 4 | 79 | secure same(fibre fiber) same authentication \ | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S23 5 | 24761 | secure same (fibre fiber) withauthentication with frame | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S23 6 | 107 | maino.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S23 7 | 30 | benedetto-m\$.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S23 8 | 16 | maino-f\$.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |

EAST Search History

| | | | | | | |
|----------|-----|---|---|----|-----|------------------|
| S23 9 | 30 | benedetto-m\$.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S24 0 | 16 | santi-c\$.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S24 1 | 62 | S238 or S239 or S240 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S24 2 | 619 | fibre and channel and security and control and indicator\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S24 3 | 421 | fibre adj channel and security and control and indicator\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S24 4 | 4 | (fiber or fibre) same frame same indicator same (secur\$3 or encrypt\$4) and database | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:49 |
| S24 5 | 4 | (fiber or fibre) and ((frame\$2 same (indicator\$2 or flag\$2 or marker\$2)) same algorithm same (secur\$4 or encrypt\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/12 17:49 |
| S24 6 | 3 | secur\$4 same(fibre fiber) same authentication same frame | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:54 |

EAST Search History

| | | | | | | |
|----------|-------|---|---|----|-----|------------------|
| S24 7 | 85775 | secur\$4 same(fibre fiber) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:54 |
| S24 8 | 166 | (fibre fiber) same secur\$3 same database\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 17:55 |
| S24 9 | 5 | (fibre fiber) same secur\$3 same database\$2 same frame\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 18:03 |
| S25 0 | 4 | "6347334".pn. "6401128".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/12 18:04 |
| S25 1 | 4 | S250 and (fiber fibre) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/14 14:24 |
| S25 2 | 4 | "6347334".pn. "6401128".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/14 14:25 |
| S25 3 | 1 | S252 and (fiber fibre) and secur\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/14 14:25 |
| S25 5 | 0 | S252 and (fiber fibre) and secur\$3 and indicator\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/14 14:26 |

EAST Search History

| | | | | | | |
|----------|--------|---|---|----|-----|------------------|
| S25 6 | 1 | S252 and (fiber fibre) and secur\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/14 14:30 |
| S25 7 | 1 | S252 and (fiber fibre) and (secur\$3 \$crypt\$3 authentic\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/14 14:33 |
| S25 8 | 153787 | (fiber fibre) and (id indicator\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/14 14:35 |
| S25 9 | 57216 | (fiber fibre) and (id indicator\$2) and (secur\$3 authenticat\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/14 14:36 |
| S26 0 | 5891 | (fiber fibre) and (id indicator\$2) and (secur\$3 authenticat\$4) and packet\$2 and database\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/14 14:44 |
| S26 1 | 266 | (fiber fibre) and ((id indicator\$2) same (secur\$3 authenticat\$4) same packet\$2)and database\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/14 20:30 |